

FS3 STAGE DIMENSIONS

STAGE LENGTH = 105' 11" (32.5m) STAGE PIT AREA = 678 sq. ft. (63 sq.m.) GROUND FLOOR AREA = 15,000 sq.ft. (1394 sq.m.)
HEIGHT TO U/S OF GANTRY = 44'11" (13.7m)


FS3 IMPOSED LOADING

IMPOSED FLOOR LOADING = 10kN per sq.m. IMPOSED FLOOR LOADING ON PIT COVER

= 4kN per sq.m.

THIS DRAWING IS THE PROPERTY OF ISKANDAR MALAYSIA STUDIOS SDN. BHD. AND MUST NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART, BY ANY METHOD WHATSOEVER WITHOUT PERMISSION OR THE WRITTEN AUTHORIZATION OF ISKANDAR MALAYSIA STUDIOS SDN. BHD.

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO ANY COMMENCEMENT OF WORKS



	ELECTRICAL
1	ELECTRICAL DISTRIBUTION BOARD
LSP	LIGHTING SWITCH PANEL
土	SINGLE 13A GENERAL POWER OUTLET
∇	SINGLE DATA OUTLET
[15A	15A POWER OUTLET
- INA	16A POWER OUTLET
8	EMERGENCY LIGHT
_^	HIGH BAY STAGE LIGHTING
	FLUORESCENT GANTRY LIGHTING
	M&E AIR CONDITIONING DUCTING
	FIRE DETECTION
(S)	EXISTING SMOKE DETECTOR
0	EXISTING BREAK GLASS CALL POINT
DR	EXISTING BREAK GLASS DOOR RELEASE
7.	EXISTING FIRE ALARM BELL
Ö	EXISTING AUDIBLE WARNING SIREN
EX ⊗	EXISTING EXIT LIGHT
EX 🛇	EXISTING DIRECTIONAL EXIT LIGHT
₩	EXISTING CO2 FIRE EXTINGUISHER
- ₹	EXISTING DRY POWDER FIRE EXTINGUISHER
III/HR	EXISTING FIRE HOSE RELL
EM	EXISTING EMERGENCY LIGHT TEST SWITCH
MD	SPRINKLER FLOW SWITCH C/W VALVE
	PLUMBING
Ð	BUTLER SINK
	OANITRY LEVEL
	GANTRY LEVEL RUNWAY BEAMS @ 146mm WIDE
=	TRANSFER SYSTEM LOCATION
	GANTRY WALKWAY
	CAT LADDER
	CAFETYLINE

FACILITIES DEPARTMENT

PROJECT

ISKANDAR MALAYSIA STUDIOS

DRAWING TITLE

Flim Stage 3 GROUND FLOOR PLAN

Scale : Update By : 1:200 @ A3 August 2017 Arkitek ZamryZ



FILM STAGE 3 - GROUND FLOOR LAYOUT **ISKANDAR MALAYSIA STUDIOS**